## Foam sprayer incl. jet spray, 1/2"(Q), 1.4 Litre, Yellow





Easily tackle large-scale cleaning tasks with the Foaming Set. Whether you're cleaning walls in a food processing environment or washing the floors in showers, fitness studios, pools, or more, the Foaming Set gets the job done with a constant chemical dosage (0.4-10%, depending on manufacturer's recommendations). It can handle 6 bars of pressure and can hold 1.4 L of chemicals and has an easy trigger grip that allows for faster cleaning. It comes in 5 colours and has a set of 15 colour-coded nozzles for different chemical concentrations.

Never allow chemicals directly through the foaming gun.

## **Technical Data**

Content         1.4 Litre           Content         4.7 Litre           Material         Brass Orgalloy Polyamide Polyethylene (HDPE)           Complies with (EC) 1935/2004 on food contact materials*         No           Complies with UK 2019 No. 704 on food contact materials         No           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           California Proposition 65 Compliant         No           SCIP number         e0168018-698-4efe-goc9-e829c268-968-68           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         2012 kg           Gross Weight         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 kg           Max usage temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. ph-value in usage concentration         2 Pd           Min. ph-value in	Item Number	93056
Content         47.3 Flor           Material         Brass Orgalloy Orgalloy Polyamide Polyethylene (HDPE)           Complies with (EC) 1935/2004 on food contact materials¹         No           Complies with UK 2019 No. 704 on food contact materials         No           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           California Proposition 65 Compliant         No           SCIP number         e0168018-f69a-4efergo-e829c26a9d63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Gross Weight         0.88 kg           Gross Weight         0.000642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         11 pH           Min. Bars pressure         8 par <th>Couplings Size</th> <th>1/2 "</th>	Couplings Size	1/2 "
Material         Brass Orgaliby Polyamide Polyyethylene (HDPE)           Complies with (EC) 1935/2004 on food contact materials¹         No           Complies with UK 2019 No. 704 on food contact materials¹         No           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           California Proposition 65 Compliant         No           SCIP number         e0168018-f69a-4efe-99c9-829c26a9d63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs.           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperatures (non food contact)         40 °C           Min. usage temperatures         5 °C           Min. pH-value in usage concentration         11 pH           Max. ph-value in usage Concentration <th>Content</th> <th>1.4 Litre</th>	Content	1.4 Litre
Complies with (EC) 1935/2004 on food contact materials¹         No           Complies with UK 2019 No. 704 on food contact materials¹         No           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           California Proposition 65 Compliant         No           SCIP number         e0168018-169a-4efe-99c9-e829c/26a9d63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs.           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.00942 kg           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature²         5 °C           Min. pH-value in usage concentration         1 pH           Max. ph-value in Usage Concentration         1 pH           Min. Bars pressure         2 Bar           Max. bars pressure         5 705020930560	Content	47.3 Fl oz
Complies with UK 2019 No. 704 on food contact materials         No           Meets the REACH Regulation (EC) No. 1907/2006         Yes **           California Proposition 65 Compliant         No           SCIP number         e0168018-f69a-4efe-99c9-e829c26a9d63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (no food contact)         40 °C           Min. usage temperature are         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Gtin-13 Number         5705020930560	Material	Orgalloy Polyamide
Meets the REACH Regulation (EC) No. 1907/2006         Yes **           California Proposition 65 Compliant         No           SCIP number         e0168018-f69a-4efe-99c9-e829c26a9d63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
California Proposition 65 Compliant         No           SCIP number         e0168018-f69a-4efe-99c9-e829c26a9ad63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperatures (non food contact)         40 °C           Min. pH-value in usage concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818090	Complies with UK 2019 No. 704 on food contact materials	No
SCIP number         e0168018-f69a-4efe-99c9-e829c26a9d63           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperatures         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	California Proposition 65 Compliant	No
Is Halal and Kosher compliant         Yes           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         1 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	SCIP number	
Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930:560           Customs Tariff No.         848180:99	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)         160 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         1 Pcs.           Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Min. usage temperature (non food contact)         40 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Box Quantity	1 Pcs.
Length         290 mm           Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Quantity per Pallet (80 x 120 x 180-200 cm)	160 Pcs
Width         190 mm           Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Quantity Per Layer (Pallet)	1 Pcs.
Height         175 mm           Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Length	290 mm
Net Weight         0.72 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.162 kg           Gross Weight         0.88 kg           Cubik metre         0.009642 M3           Max. cleaning temperature (Dishwasher)         40 °C           Max usage temperature (non food contact)         40 °C           Min. usage temperature³         5 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         11 pH           Min. Bars pressure         2 Bar           Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Width	190 mm
Weight cardboard (Recycling symbol "20" PAP)0.162 kgTare total0.162 kgGross Weight0.88 kgCubik metre0.009642 M3Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Height	175 mm
Tare total0.162 kgGross Weight0.88 kgCubik metre0.009642 M3Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Net Weight	0.72 kg
Gross Weight 0.88 kg  Cubik metre 0.009642 M3  Max. cleaning temperature (Dishwasher) 40 °C  Max usage temperature (non food contact) 40 °C  Min. usage temperature³ 5 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 11 pH  Min. Bars pressure 2 Bar  Max. bars pressure 6 Bar  Gtin-13 Number 5705020930560  Customs Tariff No. 84818099	Weight cardboard (Recycling symbol "20" PAP)	0.162 kg
Cubik metre0.009642 M3Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Tare total	0.162 kg
Max. cleaning temperature (Dishwasher)40 °CMax usage temperature (non food contact)40 °CMin. usage temperature³5 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Gross Weight	0.88 kg
Max usage temperature (non food contact)40 °CMin. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Cubik metre	0.009642 M3
Min. usage temperature35 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Max. cleaning temperature (Dishwasher)	40 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Max usage temperature (non food contact)	40 °C
Max. pH-value in Usage Concentration11 pHMin. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Min. usage temperature <sup>3</sup>	5 °C
Min. Bars pressure2 BarMax. bars pressure6 BarGtin-13 Number5705020930560Customs Tariff No.84818099	Min. pH-value in usage concentration	2 pH
Max. bars pressure         6 Bar           Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Max. pH-value in Usage Concentration	11 pH
Gtin-13 Number         5705020930560           Customs Tariff No.         84818099	Min. Bars pressure	2 Bar
Customs Tariff No. 84818099	Max. bars pressure	6 Bar
	Gtin-13 Number	5705020930560
Country of origin Denmark	Customs Tariff No.	84818099
	Country of origin	Denmark

When the foam application is finalized, it is important to rinse the injector with clean water to avoid blocking of the nozzle. Screw the injector of the container and let it suck clean water through the suction hose to enable hose, filter and nozzle to be rinsed for chemicals.

<sup>\*\*</sup> Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.